

HEALTH AND SAFETY SPECIFICATIONS

TABLE OF CONTENTS

1. Introduction and Background

- 1.1. Background to the Health and Safety Specification
- 1.2. Purpose of the Health and Safety Specification

2. Scope

3. Interpretation

- 3.1. Application
- 3.2 Definitions

4. Minimum Administrative Requirements

- 4.1 Assignment of Contractor's Responsible Person to Supervise Health and Safety on Site
- 4.2 Competency for Contractor's Responsible Persons
- 4.3 Compensation for Occupational injuries and Diseases Act (COIDA) Act 130 of 1993
- 4.4 Occupational Health and Safety Policy
- 4.5 Health and Safety Organogram
- 4.6 Preliminary Hazard Identification and Risk Assessment and Progress Hazard

Identification and Risk Assessment

- 4.7 Health and Safety Representative(s)
- 4.8 Health and Safety Committee(s)
- 4.9 Health and Safety Training
- 4.9.1. Awareness
- 4.9.2. Competency
- 4.11. General Record Keeping
- 4.12. Health & Safety Audits, Monitoring and Reporting

- 4.13. Emergency Procedures
- 4.14. Accident / Incident Reporting and Investigation
- 4.15. Hazards and Potential Situations
- 4.16. Personal Protection Equipment and Clothing
- 4.17. Occupational Health and Safety Signage
- 4.18. Permits
- 4.19. Incentives and Penalties

5. Occupational Health and Hygiene

- 5.1. Fitness for duty
- 5.2. Health assessment and health monitoring
- 5.3. Welfare Facilities
- 5.4. Alcohol and Other Drugs

6. ANNEXURES

ANNEXURE A

CONTRACTOR MANAGEMENT CHECKLIST

ANNEXURE B

CONTRACTOR, SHE FILE CHECKLIST

ANNEXURE C

MEDICAL EXAMINATION CERTIFICATE TEMPLATE

ANNEXURE D

BASELINE RISK ASSESSMENT TEMPLATE

ANNEXURE E

DISABLING INJURY 24 HR REPORT TEMPLATE

ANNEXURE F

OTHER FORMS

1. INTRODUCTION AND BACKGROUND

1.1. Background to the Health and Safety Specification

The Construction Regulations 2014 place the onus on the Client to prepare a pre-construction health & safety specification, highlighting all risks before and during construction.

1.2. Purpose of the Health and Safety Specification

The purpose of this specification is to assist in achieving compliance with the Occupational Health & Safety Act 85/1993 and with Construction Regulations 2014 in order to reduce incidents and injuries.

The application of this Health and Safety specification shall

- Ensure that health and safety requirements are incorporated into the contract, conditions of tender and pricing documents.
- Establish a systematic approach in evaluating the bidding contractors, and
- Act as the basis for the drafting of the construction phase health & safety plan and ensure that the contractor's performance is adequately monitored and managed for the duration of the contract.

These specifications in no way release Contractors from compliance with the relevant Legal requirements.

2. SCOPE

This Specification applies to all principal contractors, contractors and sub-contractors contracted directly or indirectly to do work on behalf of TNPA at the following stages of the projects; Pre tender stage; Contract award stage; Project execution and Project closes out and hand over.

3. Interpretations

3.1. Application

This specification is a compliance document drawn up in terms of South African legislation and is therefore binding. It must be read in conjunction with relevant legislation as noted previously.

3.2. Definitions

The definitions as listed in the Occupational Health & Safety Act 85/1993 and Construction Regulations 2014 shall apply.

4. Minimum Administrative Requirements

The principal contractor must prepare, implement and administer the Contractor's Health and Safety Management Plan. The Plan is in writing and accepted by TNPA, prior to mobilisation to the construction site for work under the Contract, to TNPA or TNPA nominated Representative, for acceptance. The Health and Safety Management Plan must comply with this Contract including Project Site Rules, and applicable law relating to Workplace Health and Safety and Environmental Health. Any proposed amendments or revisions to the Contractor's Safety Management Plan is submitted to TNPA for acceptance, and once accepted, it becomes part of the TNPA Safety Management Plan.

The Health and Safety Management Plan must provide a systematic method of managing hazards according to the risk priority, and must include all mobilization and site set-up activities.

The Plan will be audited for completeness by TNPA or TNPA nominated Representative using an Audit Tool, and a score of 90% will be required before it will be "accepted with comments". The Plan is presented and at least "accepted with comments" by TNPA BEFORE permission will be granted to the Contractor to mobilise to site.

The Contractor's Health and Safety Management Plan must demonstrate Management's commitment to safety and must include, but not be limited to, the following minimum auditable elements:

4.1. Legal Appointments.

The Contractor shall submit supervisory appointments as well as any relevant appointments in writing (as stipulated by the OHS Act and Regulations (85 of 1993)), prior to commencement

of work. Proof of competency must be included. See Annexure B.

4.2. Competency for Contractor's Appointed Competent Persons

Contractors" competent persons for the various risk management portfolios shall fulfil the criteria as stipulated under the definition of Competent in accordance with the Construction Regulations 2014. Proof of competence for the various appointments must be included.

4.3. Compensation of Occupational Injuries and Diseases Act 130 of 1993(COIDA)

The Principal Contractor shall submit a letter of good standing with its Compensation Insurer to the Client as proof of registration. Sub-Contractors shall submit proof of registration to the Principal Contractor before they commence work on site.

4.4. Occupational Health and Safety Policy

The Principal Contractor and all Sub Contractors shall submit a Health and Safety Policy signed by their Chief Executive Officer. The Policy must outline objectives and how they will be achieved and implemented by the Company / Contractor.

4.5. Health and Safety Organogram

The Principal Contractor and all Sub Contractors shall submit an organogram, outlining the Health and Safety Site Management Structure including the relevant appointments/competent persons. In cases where appointments have not been made, the organogram shall reflect the intended positions. The organogram shall be updated when there are any changes in the Site Management Structure.

4.6. Preliminary Hazard Identification and Risk Assessment and Progress Hazard Identification and Risk Assessment

The Contractor shall cause a hazard identification to be performed by a competent person before commencement of construction work, and the assessed risks shall form part of the construction phase health and safety plan submitted for approval by the Client. The risk TNPA Health and Safety Specification: rev 0

assessment must include:

- a) A list of hazards identified as well as potentially hazardous tasks;
- b) A documented risk assessment based on the list of hazards and tasks;
- c) A set of safe working procedures (method statements) to eliminate, reduce and/or control the risks assessed;
- d) A monitoring and review procedure of the risks assessment as the risks change.

The Principal Contractor shall ensure that all Sub Contractors are informed, instructed and trained by a competent person regarding any hazards, risks and related safe work procedures before any work commences and thereafter at regular intervals as the risks change and as new risks develop. Proof of this must be kept for inspection by the Client or Client Representative.

The Principal Contractor shall be responsible for ensuring that all persons who could be negatively affected by its operations are informed and trained according to the hazards and risks and are conversant with the safe work procedures, control measures and other related rules (tool box talk strategy to be implemented).

4.7. Health and Safety Representative(s)

The Principal Contractor and all Contractors shall ensure that Health and Safety Representative(s) are appointed under consultation and trained to carry out their functions. The appointment must be in writing. The Health and Safety Representative shall carry out regular inspections, keep records and report all findings to the Responsible Person forthwith and at health and safety meetings.

4.8. Health and Safety Committees

The Principal Contractor shall ensure that project health and safety meetings are held monthly and minutes are kept on record. Meetings must be organised and chaired by the Principal Contractor's Responsible Person. All Contractors" Responsible Persons and Health and Safety Representatives shall attend the monthly health and safety meetings. Sub-Contractors TNPA Health and Safety Specification: rev 0

shall also have their own internal health and safety committees in accordance with the OHS Act 85/1993 and minutes of their meetings shall be forwarded to the Principal Contractor on a

monthly basis.

4.9. Health and Safety Training

4.9.1. Awareness

The Principal Contractor shall ensure that, on site, periodic toolbox talks take place daily.

These talks should deal with risks relevant to the construction work at hand. A record of

attendance shall be kept in the health & safety file. All Contractors have to comply with this

minimum requirement. At least one of the Toolbox talks shall be on any environmental related

issue.

4.9.2. Competency

All competent persons shall have the knowledge, experience, training, and qualifications

specific to the work they have been appointed to supervise, control, and carry out. This will

have to be assessed on regular basis e.g. periodic audits by the Client, progress meetings,

etc. The Principal Contractor is responsible to ensure that competent Sub Contractors are

appointed to carry out construction work.

4.9.3. Rules of conduct.

Principal contractors, their sub-contractors and all employees under their control, including

any visitor brought onto site must adhere to the following Rules of conduct on site.

YOU MAY NOT:

* Partake, possess or sell drugs or alcoholic beverages on site. Any employee or visitor whose

action and demeanour show symptoms of possible narcosis or drunkenness shall be removed

from site.

* Indulge in practical jokes, horseplay, fighting or gambling.

TNPA Health and Safety Specification: rev 0

* Destroy or tamper with safety devices, symbolic signs or wilfully and unnecessarily

discharge fire extinguishers.

* Bring onto site or have in your possession a firearm, lethal weapon.

* Assault, intimidate or abuse any other person.

* Operate construction equipment (vehicles or plant) without the necessary training and

authorisation.

* Display insubordination toward any supervisor, foreman or Manager in respect to carrying

out of properly issued instructions or orders for health and Safety reasons.

* Enter any area where you have no business unless authorised to do so by the person in

charge.

* Negligently, carelessly or wilfully cause damage to property of others.

* Refuse to give evidence or deliberately make false statements during investigations.

*

4.10. General Record Keeping

The Principal Contractor and all Sub Contractors shall keep and maintain Health and Safety

records to demonstrate compliance with this Specification, with the OHS Act 85/1993; and

with the Construction Regulations (July 2003). The Principal Contractor shall ensure that all

records of incidents/accidents, training, inspections; audits, etc. are kept in a health & safety

file held in the site office. The Principal Contractor must ensure that every Sub Contractor

opens its own health & safety file, maintains the file and makes it available on request.

4.10.1. Inspection of equipment and tools.

The following items of equipment must be regularly inspected and maintained and appropriate

records kept.

* First Aid dressing registers.

* Fire equipment

* Lifting equipment

* Lifting Gear

* Portable electrical equipment

TNPA Health and Safety Specification: rev 0

- * Stacking and storage inspections
- * Explosive power tools
- * Materials hoist (where applicable)
- * Pressure Vessels
- * Ladders
- * Excavations
- * Safety harnesses
- * Scaffold static and mobile.
- * Pneumatic tools
- * Construction vehicles and mobile plant.
- * Health and Safety Representatives checklists.

4.11. Health & Safety Audits, Monitoring and reporting

The Client shall conduct monthly health & safety audits of the work operations including a full audit of physical site activities as well as an audit of the administration of health & safety. The Principal Contractor is obligated to conduct similar audits on all Sub Contractors appointed by them. Detailed reports of the audit findings and results shall be reported on at all levels of project management meetings/forums. Copies of the Client audit reports shall be kept in the Primary Project Health & Safety File while the Principal Contractor audit reports shall be kept in their file, a copy being forwarded to the Client. Sub-Contractors have to audit their sub-contractors and keep records of these audits in their health & safety files, available on request.

4.12. Emergency Procedures

The Principal Contractor shall submit a detailed Emergency Procedure for approval by the Client prior to commencement on site. The procedure shall detail the response plan including the following key elements:

- a) List of key competent personnel;
- b) Details of emergency services;
- c) Actions or steps to be taken in the event of the specific types of emergencies; TNPA Health and Safety Specification: rev 0

d) Information on hazardous material/situations.

Emergency procedure(s) shall include, but shall not be limited to, fire, spills, accidents to employees, use of hazardous substances, bomb threats, major incidents/accidents, etc. The Principal Contractor shall advise the Client in writing forthwith, of any emergencies, together with a record of action taken. A contact list of all service providers (Fire Department, Ambulance, Police, Medical and Hospital, etc.) must be maintained and available to site personnel.

4.13. First Aid Boxes and First Aid Equipment

The Principal Contractor and all Sub Contractors shall appoint in writing First Aider(s). The appointed First Aider(s) are to be sent for accredited first aid training. Valid certificates are to be kept on site. The Principal Contractor shall provide an on-site First Aid Station with first aid facilities, including first aid boxes adequately stocked at all times. All Sub Contractors with more than 5 employees shall supply their own first aid box. Sub-Contractors with more than 10 employees shall have a trained, certified first aider on site at all times.

4.14. Accident / Incident Reporting and Investigation

Injuries are to be categorised into first aid; medical; disabling; and fatal. The Principal Contractor must stipulate in its construction phase health & safety plans how it will handle each of these categories. When reporting injuries to the Client, these categories shall be used. The Principal Contractor shall investigate all injuries, with a report being forwarded to the Client forthwith. All Contractors have to report on the 4 categories of injuries to the Principal Contractor at least monthly. The Principal Contractor must report all injuries to the Client in the form of a detailed injury report at least monthly. A 24 hour notification report must be submitted immediately before the end of the shift (see 24 Hour report template)

4.15. Hazards and Potential Situations

The Principal Contractor shall immediately notify other Sub Contractors as well as the Client TNPA Health and Safety Specification: rev 0

of any hazardous or potentially hazardous situations that may arise during performance of

construction activities.

4.16. Personal Protective Equipment (PPE) and Clothing

The Principal Contractor shall ensure that all workers are issued and wear hard hats, safe

footwear and overalls. The Principal Contractor and all Sub Contractors shall make provision

and keep adequate quantities of SABS approved PPE on site at all times. The Principal

Contractor shall clearly outline procedures to be taken when PPE or Clothing is:

a) Lost or stolen;

b) Worn out or damaged.

The above procedure applies to Sub Contractors and their contractors, as they are all

Employers in their own right.

4.17. Occupational Health and Safety Signage

The Contractor shall provide adequate on-site OHS signage. Including but not limited to "no

unauthorised entry, report to site office "," site office, beware of overhead work, "hard hat area".

Signage shall be posted up at all entrances to site as well as on site in strategic locations e.g.

access routes, stairways, entrances to structures and buildings, scaffolding, and other

potential risk areas/operations.

4.18. Permits

Permits may include the following:

4.18.1. Work for which a fall prevention plan is required

4.18.2. Use of cradles

4.19. Incentives & Penalties

Penalties will be implemented for ongoing non-compliance to the provisions of the

construction-phase health & safety plan as submitted by the Principal Contractor.

TNPA Health and Safety Specification: rev 0

5.1. Piling

The Contractor shall ensure that piling is undertaken by a competent Contractor. A SWP shall be submitted to the Client for approval before commencement of this work.

5.2. Stacking of Materials

The Principal Contractor and other relevant Sub Contractors shall ensure that there is an appointed staking supervisor and all materials, formwork and all equipment is stacked and stored safely.

5.3. Speed Restrictions and Protection

The Principal Contractor shall ensure that all persons in its employ, all Sub Contractors, and all those that are visiting the site are aware and comply with the site speed restriction(s). Separate vehicle and pedestrian access routes shall be provided, maintained, controlled, and enforced.

6. Plant and Machinery

Vehicles shall not enter site with:

- * Defective exhaust systems
- * Serious oil or fuel leaks
- * Unsafe bodywork or loads
- * Non-standard equipment fitted.
- * Improperly seated passengers
- * Any obvious mechanical defects.

All earth moving equipment shall be operated in accordance with good safety practice so as to protect the safety of the operator and other workers or persons in the area. All earth moving equipment shall be equipped with a reverse siren.

6.4 Hired Plant and Machinery

The Principal Contractor shall ensure that any hired plant and machinery used on site is safe for use. The necessary requirements as stipulated by the OHS Act 85/1993 and Construction Regulations 2014 shall apply. The Principal Contractor shall ensure that operators hired with machinery are competent and that certificates are kept on site in the health and safety file. All relevant Sub Contractors must ensure the same.

6.5. Lifting Machines and Tackle

The Principal Contractor and all Contractors shall ensure that lifting machinery and tackle is inspected before use and thereafter in accordance with the Driven Machinery Regulations and the Construction Regulations (section 22). There must be competent lifting machinery and tackle inspector who must inspect the equipment daily or before use, taking into account that:

- a) All lifting machinery and tackle has a safe working load clearly indicated
- b) Regular inspection and servicing is carried out;
- c) Records are kept of inspections and of service certificates;
- d) There is proper supervision in terms of guiding the loads that includes a trained banks man to direct lifting operations and check lifting tackle;
- e) The tower crane bases have been approved by an engineer;
- f) The operators are competent as well as physically and psychologically fit to work and in possession of a medical certificate of fitness to be available on site.

6.6. Ladders and Ladder Work

The Principal Contractor shall ensure that all ladders are inspected monthly, are in good safe working order, are the correct height for the task, extend at least 1m above the landing, fastened and secured, and at a safe angle. Records of inspections must be kept in a register on site. Sub-Contractors using their own ladders must ensure the same. Ladders shall not be used as horizontal walkways or as scaffolding. Tools or equipment must be carried in suitable slung containers or hoisted up to the working position.

6.7. General Machinery

The Principal Contractor and relevant Sub Contractors shall ensure compliance with the Driven Machinery Regulations, which include inspecting machinery regularly, appointing a competent person to inspect and ensure maintenance, issuing PPE or clothing, and training those who use machinery

6.8. Public and Site Visitor Health and Safety

The Principal Contractor shall ensure that every person working on or visiting the site, as well as the public in general, shall be made aware of the dangers likely to arise from site activities, including the precautions to be taken to avoid or minimise those dangers. Appropriate health and safety notices and signs shall be posted up, but shall not be the only measure taken.

Both the Client and the Principal Contractor have a duty in terms of the OHS Act 85/1993 to

do all that is reasonably practicable to prevent members of the public and site visitors from being affected by the construction activities.

Site visitors must be briefed on the hazards and risks they may be exposed to and what measures are in place or should be taken to control these hazards and risks. A record of these "induction" must be kept on site in accordance with the Construction Regulations.

6.9. Transport of Workers

The Principal Contractor and other Sub Contractors shall not:

- a) Transport persons together with goods or tools unless there is an appropriate area or section to store them;
- b) Transport persons in a non-enclosed vehicle, e.g. truck; there must be a proper canopy (properly covering the back and top) with suitable sitting area. Workers shall not be permitted to stand or sit at the edge of the transporting vehicle.

7. Occupational Health and Hygiene.

7.1. Occupational Hygiene

Exposure of workers to occupational health hazards and risks is very common in any work

TNPA Health and Safety Specification: rev 0

environment, especially in construction. Occupational exposure is a major problem and all Principal Contractors must ensure that proper health and hygiene measures are put in place to prevent exposure to these hazards. Prevent inhalation, ingestion, and absorption of any hazardous substance and high noise level exposure.

7.2. Fitness for Duty

The Contractor must ensure that personnel under its control and authority comply with the requirements of the Fitness for Duty and are bound by its Disciplinary Provisions, regarding the possible effects of:

- a)General level of personal fitness and/or medical conditions
- b)The consumption of alcohol
- c) The use of other drugs (prescription, pharmaceutical or illicit)
- d)Fatigue
- e)Stress

7.3 Health Assessments and Health Monitoring

The principal contractor must ensure that all his personnel are healthy and medically fit for their respective assignments and must certify the same to TNPA if so requested. The Principal Contractor is responsible for Pre-placement, Exit Medicals and On-going Health Assessments. The Contractor must ensure that Operators of mobile equipment undergo "fit for work" medical examination every 1 year and Crane Operators engaged in lifting man boxes every 5 years. This medical is to certify that the Medical Practitioner has examined the Operator and formed the opinion that the Operator is free from deafness, defective vision, epilepsy, heart disease, and any other infirmity likely to cause the Operator to lose control of the machine being operated.

The Contractor is responsible for the medical welfare of its own employees, servants or agents and their families.

7.4. Welfare Facilities

The Principal Contractor must supply Sufficient toilets (1 toilet per 30 workers), showers (1 for TNPA Health and Safety Specification: rev 0

every 15 workers), changing facilities, hand washing facilities, soap, toilet paper, and hand drying material must be provided. Waste bins must be strategically placed and emptied regularly. Safe, clean storage areas must be provided for workers to store personal belongings and personal protective equipment. Workers should not be exposed to hazardous materials/substances while eating and must be provided with sheltered eating areas.

7.5 Alcohol and other Drugs

No alcohol and other drugs will be allowed on site. No person may be under the influence of alcohol or any other drugs while on the construction site. Any person on prescription drugs must inform his/her superior, who shall in turn report this to the Principal Contractor forthwith. Any person suffering from any illness/condition that may have a negative effect on his/her safety performance must report this to his/her superior, who shall in turn report, this to the Principal Contractor forthwith. Any person suspected of being under the influence of alcohol or other drugs must be sent home immediately, to report back the next day for a preliminary inquiry. A full disciplinary procedure must be followed by the Principal Contractor or Sub Contractor concerned and a copy of the disciplinary action must be forwarded to the Principal Contractor for his records.

Annexure A

CONTRACTOR MANAGEMENT CHECKLIST

The Principal Contractor shall comply but not be limited to the following requirements: report on these to the Client at progress meetings or at least monthly whichever is sooner

What	When	Output	Accepted by Client & date
Induction training	Every worker before he/she starts work.	Attendance registers	
Awareness Training (Tool Box Talks)	daily	Attendance registers	
Health and Safety Reports	Monthly	Report Covering: 1. Incidents/accidents and investigations 2. Non conformances by employees and contractors 3. Internal and external H&S audit reports	
Emergency procedures	Ongoing evaluation of procedures	Table procedures in writing as well as tel. numbers	
Risk assessment	Updated and signed off at least monthly	Documented risk assessment	
Safe work procedures	Drawn up before workers are exposed to new risks	Documented set of safe work procedures (method statements) updated and signed off.	
General inspections	Weekly & daily	Report OHS Act compliance: 1. Scaffolding 2. Excavations 3. Formwork & support work 4. Explosive tools	
General inspections	Monthly	 Fire fighting equipment Portable electrical equipment Ladders Lifting equipment /slings 	
List of Contractors	List to be updated weekly	Table list, number of workers and Company tel. numbers	
Workman's Compensation	Ongoing	Table a list of Contractor's workman's compensation proof of good standing	
Construction site rules & Section 37.2 Mandatory Agreement	Ongoing	Table a report of all signed up Mandatories.	

ANNEXURE B

CONTRACTOR SHE FILE CHECKLIST

CONTRACTOR SHE FILE CHECKLIST

SAFETY, HEALTH AND ENVIROMENTAL REQUIREMENTS

CON	TRACTOR	YES	NO	COMMENTS
1.	Site Specific Organogram of reporting structure.			
	This document must provide all persons appointed in			
	terms of			
	OHS Act No. 85 of 1993 including contact details. (rev,			
	date, approval)			
2.	<u> </u>			
3.	Notification of Construction Work to the Department of			
	Labour : Document to display required information as per			
	OHS Act No.85 of 1993 – Construction Regulations			
	Annexure A, Must carry the stamp of acceptance from the			
	Department of Labour.			
4.	APPLICATION FOR A PERMIT TO DO CONSTRUCTION			
	WORK			
5.	Valid Letter of Good Standing with FEM/WCA:			
	And proof of relevant insurances to carry out work.			
MAN	AGEMENT PLANS			
6.	Copy of reference documents:			
	Health, Safety and Environmental Specification			
	Including a signed register of communication to Managers,			
	Supervisors & Safety Officers			
7.	Contractor Health & Safety Plan correlating with TNPA			
	Health			
	and Safety Specification			
8.	Contractors Health and Safety Policy			
9.				
	. Site Specific Emergency Plan			
11	. Contractors Traffic Management Plan (if applicable)			
		T	ı	1
12	. Contractor Environmental Management Plan correlating			
	with			
	TNPA Environmental Plan			
13	Procedure for handling Hazardous Chemical Substances			
	and			
	Applicable MSDS.			
APPC	DINTMENTS			

14. Fully completed Appointments of the following but not limited to:	
 Sec. 16(2) – Delegated Authority (Assistant to the CEO) 	
CR 8(7) – Construction Supervisor	
CR 8(8) – Assistant Construction Supervisor	
CR 8(5) – Construction Safety Officer	
CR 9(1) – Risk assessor	
 CR 10. (1)(a) – Fall Prevention Coordinator (if applicable) 	
CR 23.(d)(k) – Vehicle operator and Inspector	
• GSR 3.4 – First aider	
CR 29 (h) – Fire Fighter	
Sec 24, GAR 9(2) – Incident Investigator	
CR 13(1)(a) – Excavation Supervisor	
CR 28(a) – Stacking and Storage Supervisor	
CR 12(1) – Temporary works designer	
CR 14(1) – Demolition work supervisor	
CR 16(1) – Scaffolding work supervisor	
CR 17 (1) – Suspended platform work supervisor	
CR 18(1)(a) – Rope access supervisor	
CR 19(8)(a) – Material host Inspector	
CR 20(1) – Bulk mixing plant supervisor	
CR 21(2) – Explosive actuated fastening devices	
inspector	
Sec 17(1) – SHE Rep (more than 20 employees)	
GSR 13(a) – Ladder Inspector An abbreviated CV of the above appointed persons shall be attached to the appointment. Competency certificates for safety training courses will also be attached as required in specifications	
15. Proof of firefighting training CR 29(h) & list of firefighting team members.	
16. Elevated work training (Rescue/ Safety harnesses) – accredited Training (If applicable)	
 Fall Protection Plan by competent person / Rescue equipment (If applicable) 	
18. Baseline Risk Assessment indicating the full scope of work and risk profile – High risk task inventory registers to be attached.	
19. (HIRA) Risk Assessment (Method Statement, Safe Work Procedure) to be generated for each specific task to be performed on the project i.e.: Site establishment, confined spaces, working at heights, working near water, excavations etc. Note: before establishment they can supply what they will start with – site establishment, fencing, clear & grubso only request what is relevant at	
the time.	
20. PPE Policy and most recent issue register.	

INDUCTION	
21. Induction application forms completed for every employee of the contractor performing work on site; The following shall be attached:	
Employee scope of work;	
 Proof of site specific induction; 	
Copy of ID Document;	
Legal Letter of Appointment;	
Abbreviated CV for Managers, Supervisors & Safety	
Officers (If not previously included);	
Proof of competence i.e.: Artisans, drivers,	
operators etc.;	
Valid medical certificate of fitness done by an	
Occupational Health Practitioner	
REGISTERS	
22. Copy of equipment registers to be used with copy of each item's inspection checklist. Copy of nominated responsible person to conduct monthly inspections and proof of their competency. All other statutory registers as required by the OHS Act No. 85of 1993.	
Site visitors register	
Excavation Inspection Register	
Hand tools Inspection register	
Barricading Inspection Register	
Traffic Inspection Register	
Mobile Toilet Inspection Register	
Daily Risk Assessment and Toolbox Talk	
PPE Inspection Register	
First Aid kit Inspection Register	
Fire Fighting Equipment Register	
Portable electrical Equipment Register	
Pneumatic Tool Register	
Compressor Checklist	
Ladder Inspection Register	
Vehicle Inspection Register	
Working at Height Equipment Register	
OTHERS	
23. Section 37(2) mandatory agreement between client -	
contractor and contractor - sub contractor. As well as:	<u> </u>
CR 5.1(k) Principle Contractor appointment	
CR 7(1)(c)(v) Sub Contractor appointment	
24. Training Matrix (Management and Companies and	
24. Training Matrix (Management and Supervisors)	
25. Copy of the OHS act, COID and Construction Regulation 2014	

MEDICAL EXAMINATION CERTIFICATE

Medical Certificate of fitness

Name of Employee				ID NumberC							Co. Number																	
*Occupation e.g. General Worker, Welder ,Bricklayer, Steel fixer, Mobile Crane Operator .etc.		*Possible Exposures e.g. noise, heat, fall risk, confined space etc.							*Job Specific Requirements e.g. Operating mobile crane, Digging Trenches, Erecting Formwork & Support work etc.							ng	*Protective Equipment e.g. Dust Respirator (light duty), Welding Gloves etc.											
*The Employer to complete the Declaration by the Medical Example 1 certify that I have, by examinate perform the duties as described	amin ntion	er: and tes	ting, u	sing t	the al	bove (criter					_											oned	emp	loye	e is fi	it to	
Occupational Medicine Practition	oner,	/Occup	ational	Hea	lth N	ursin	g Prac	ctitior	ner:(I	Pleas	se P	rint	Nam	ne)													_	
Signature					_Pract	tice N	lumb	er:										Da	te:								_	
Address:					-																							

Annexure I

BASELINE RISK ASSESSMENT ANALYSIS TEMPLATE

Item No.	Nature of the potential Risk	Description of Risk	Mitigation Measure

ANNEXURE J

DISABLING INJURY 24 HR REPORTING

TNPA/OHS/FO	PRM 006	DIS	SABLING INJURY	IMMEDIATE / 24 HOU	RS REPORT	nedloner penes						
TO BE USED IN CONJUNCTION WITH:	UNCTION		REPORTING OF ALL DISABLING/LOST TIME INJURIES IMMEDIATELY OR WITHIN 24 HOURS TO RISK/SAFETY MANAGEMENT DEPT AT ALL PORTS/BUS AND HEAD OFFICE									
TOMS LOG ENTRY No:			Date of occurrence		Time							
1. Port/BU:				2. Dept./Section								
3. Name(s) and Surname				4. Employee/ Identity Number:								
5. Occupation:				6. Work experience in years/months								
7. Gender				8. Age in years								
9. Description of inc	ident (State w	hat ha	ppened, where, how ar	nd why and who was involve	d etc.)							
10. Photo/s of the inc	cident scene											
11. Immediate reme	edial and preve	entative	e actions taken									

Appointment Forms



Contents

1.14	Sanitation, Plant Hygiene Facilities Inspector	5
1.15	Pollution prevention	6
1.15	Environmental Programme Co-ordinator	7
1.22	Stacking/Storage Supervisor	8
2.14	Ladder Inspector	10
2.14	Lifting Machinery, Lifting Tackle and Forklift Operator	12
2.15	Lifting Equipment Inspector	13
2.15	Goods Hoist Inspector	14
2.15	Material Hoist Inspector	19
2.15	Lifts, Escalators and Passenger Conveyors	21
2.15	Lift Operator	22
2.16	HCS Co-ordinator	25
2.17	Motor Transport Officer	26
3.07	Security Co-ordinator	31
3.08	Emergency Co-ordinator	32
3.09	First-Aid Team Member	34
3.09	Services Team Co-ordinator	35
4.12	Incident Investigator(s)	36
5.10	Supervisor of Machinery	38
5.10	Assistant Supervisor of Machinery	39
5.10	Shiftsman	40
5.11	Risk Management Programme Co-ordinator	41
5.11	SHE Co-ordinator	42
5.11	Occupational Health Practitioner	43
5.12	Reporting Officer – SHE Representatives	44
5.13	SHE Representatives	45
5.13	Chairman, Occupational SHE Committee	46
5.13	Nominated – Occupational SHE Committee member	47
5.15	First Aider	48
5.30	SHE Training Co-ordinator	49
5.52	Management Self-Audit Team Member	50
5.52	Safe Work Permit Issuing Officer	51
5.52	Confined Space Inspector	52

APPOINTMENT AS A SUPERVISOR FOR STACKING AND STORAGE IN TERMS OF GENERAL SAFETY REGULATION 8.1 (a) CONSTRUCTION REGULATION 28 (a) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME OF COMPANY			
IN TERMS OF THE A	BOVE-MENTIONED ACT:		
I/WE	(F0	OR EMPLOYER) having beer	n appointed to ensure
full compliance with the	e OHSA and Regulations, he	reby appoint you	Full name
With General Safety R	egulations 8 and Construction	stacking and storage are cond on Regulations 28 for the follo	wing area or project:
YOUR RESPONSIBIL	ITIES ARE TO:		
GSR 8, and Construct 2. Ensure that all s 3. Inspect all the Regulations 28. 4. Immediately tak manner. 5. Ensure, when s and exists are clear at 6. Ensure that flam unsafe stacking to the 7. Ensure complian	ion Regulation 28 (a-d). tacking operations are execustacking/storage operations e action to break down unsatacks are built, that the sprinall times. Inmable liquids, gas cylinders Health and Safety Committence with the project health and	designated to you comply winted under your personal super to ensure that it adhere to afe stacks, and to rebuild there alkler systems are not interfered, and chemicals are stored safe. It is a safety plan as well as any remarks and the safety plan as any remarks and th	ervision. O GSR 8/Construction on in a safe and stable ed with and that aisles afely, and to report any quirements prescribed
		Regulations of the OHSA a h the requirements of the regu	
This appointment will b	pecome effective on the date	of acceptance thereof until	
Please confirm your ac of this letter.	cceptance of this appointmer	nt by signing and returning to	me the duplicate copy
Signature:	(for employer)	Signature:	Witness
Designation:		Designation	
Date:		Date:	
-	ACCEP	PTANCE	
confirm my acceptant		erstand the implications of ave studied the relevant sec e.	
Signed:		Date:	

APPOINTMENT AS LADDER INSPECTOR IN TERMS OF GENERAL SAFETY REGULATIONS 13A OF THE OCCUPATIONAL HEALTH AND SAFETY ACT

(85 OF 1993) AS AMENDED

NAME	OF COMPANY:				
IN I/WE	TERMS			ABOVE-MENTION R EMPLOYER) having be	
full co	mpliance with the C	HSA and Pe	gulations here	by appoint you	
iuli co	inpliance with the C	I IOA anu Ne	guiations nere	ру арропп уой	Full name
as the	person responsible	to inspect al	l ladders on th	e premises.	
YOUR	RESPONSIBILITI	ES ARE TO:			
1. 2 3. 4. 5. 6. replace	Ensure that all port Ensure all ladders Remove any ladde Where any ladder i	able ladders are numbered r that is not s s beyond rep declared "un	are stored hor d in a clear and afe to use and air it is your re ıfit for use" (d	lifications, repair or redunizontally so as to avoid dad standardised manner, at tag it with an "UNSAFE sponsibility to ensure that estroyed), you must see	amage to the ladder. and recorded on register – DO NOT USE" tag.
	y of the General Sa iliarise yourself with				convenience and you are
This a	ppointment will bed	ome effective	on the date o	f acceptance thereof until	I
Please of this		ptance of this	s appointment	by signing and returning	to me the duplicate copy
Signat	ure: Manager (fo			Signature:	Witness
Desig	nation:			Designation	1
Date:.				Date:	
	_				-
			ACCEPT	ANCE	
confirm	m my acceptance ations and understa	of this appo	intment. I hav	stand the implications ove studied the relevant	of the appointment and sections of the Act and
Signe	d:			Date:	

APPOINTMENT AS OPERATOR OF LIFTING MACHINERY/LIFTING TACKLE/FORKLIFTS IN TERMS OF DRIVEN MACHINERY REGULATION 18 (11) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME OF COMPANY:	
IN TERMS OF THE ABOVE-MENTIONED ACT: I/WE(FOR EMP	PLOYER) having been appointed to ensure
full compliance with the OHSA and Regulations hereby apports to ensure that the lifting machinery on the premises is opera	oint you
YOUR RESPONSIBILITIES ARE TO:	
 Ensure that the maximum safe workload as indicate exceeded. Check all safety devices at the beginning of every shith and safety that lifting tackle are identified by number and the same that the Lifting Equipment/Forklift register is compared to the allocated machine(s) according to regula the same that your licence to operate lifting equipment equipment if your licence has expired. Comply with all other health and safety requirements such as stacking and storage requirements, hazard results and safety and storage requirements, hazard results and safety requirements. Do not allow unauthorised persons to operate lifting transport any person with lifting equipment. 	ift/daily. If placed on register completed and available on the premises. In a stions and manufacturer's requirements. In the remains valid and not operate lifting to of the company that relates to your work, reporting and other instructions. In gequipment under your control and not
A copy of Driven Machinery Regulation of the OHSA is familiarise yourself with the requirements of the act and reg	
This appointment will become effective on the date of accep	otance thereof until
Please confirm your acceptance of this appointment by sign of this letter.	ning and returning to me the duplicate copy
Signature:	Signature: <i>Witne</i> ss
Designation:	Designation
Date:	Date:

ACCEPTANCE

l	understa	and the	implications	of the	appo	intment	and
confirm my acceptance of this appointmen	t. I have	studied	the relevant	section	ns of	the Act	and
Regulations and understand what is required	of me.						
Signed:			Date:				

APPOINTMENT AS INSPECTOR OF LIFTING MACHINERY/LIFTING TACKLE/FORKLIFTS IN TERMS OF DRIVEN MACHINERY REGULATION 18 (11) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME OF COMPANY:							
IN TERMS OF THE ABOVE-MENTIONED ACT: I/WE(FOR EMPLOY	ER) having been appointed to ensure						
full compliance with the OHSA and Regulations hereby appoint y	/ou <i>Full name</i>						
to ensure that the lifting machinery on the premises complies wit	h the relevant regulations.						
YOUR RESPONSIBILITIES ARE TO:							
 Ensure that all lifting machinery and tackle are inspected regulation. Ensure that the maximum safe workload is indicated on all Ensure that lifting tackle are identified by number and place. Ensure that the Lifting Equipment/Forklift register is composited as a copy of Driven Machinery Regulation of the OHSA is attafamiliarise yourself with the requirements of the act and regulation. 	Il lifting machinery. Sed on register leted and available on the premises. ch for your perusal and you are to						
This appointment will become effective on the date of acceptance	e thereof until						
Please confirm your acceptance of this appointment by signing of this letter.	and returning to me the duplicate copy						
Signature:	Signature:						
Designation:	Designation						
Date:	Date:						
ACCEPTANCE							
Iunderstand the confirm my acceptance of this appointment. I have studied Regulations and understand what is required of me.							
Signed:	Date:						

APPOINTMENT AS GOODS HOIST INSPECTOR IN TERMS OF DRIVEN MACHINERY REGULATION 17(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (85 OF 1993) AS AMENDED

NAME OF COMPANY:	
IN TERMS OF THE ABOVE-MENTIONED ACT:	
I/WE(FOR	EMPLOYER) having been appointed to ensure
full compliance with the OHSA and regulations, hereby	appoint you
as the inspector of Goods Hoist/s on the premises.	r un name
YOUR RESPONSIBILITIES ARE TO ENSURE COMPL	LIANCE TO DMR 17 WHICH INCLUDES:
 Inspect all hoists at least once every three months. During inspection determine the serviceability of the connections, drums, sheaves or pulleys and all seperson. 	he entire hoist including guides, ropes and their afety devices. Report findings to the designated
3. Keep a register or logbook to record the results an	d findings of inspections.
A copy of the Driven Machinery Regulations is attach yourself with the Act and Regulations.	for your convenience and you are to familiarise
This appointment will become effective on the date of a	cceptance thereof until
Please confirm your acceptance of this appointment by of this letter.	y signing and returning to me the duplicate copy
Signature: Manager (for employer)	Signature: <i>Witness</i>
Designation:	Designation
Date:	Date:
ACCEPTA	INCE
Iundersta confirm my acceptance of this appointment. I have Regulations and understand what is required of me.	
Signed:	Date:

APPOINTMENT AS MATERIAL HOIST INSPECTOR IN TERMS OF CONSTRUCTION REGULATION 19(8)(a) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME OF COMPANY:						
IN	TERMS	OF	THE	ABOVE-MENTIONED	ACT:	
I/WE.			(FOR	EMPLOYER) having been appo	inted to ensure	
full co	mpliance with the Co	onstruction re	egulations, hereb	oy appoint you Full r	name	
as ma	aterial hoist inspector	for the follow	ving project:			
YOUF	R RESPONSIBILITIE	S ARE TO:				
 1. 2. 3. 4. 5. by the 	Inspect all material During inspections their connections, designated person. Register or logbook	hoists on a d determine the drums, sheat to reflect:	aily basis as per ne serviceability ves or pulleys - record of record of record signs	of the entire hoist including gui and all safety devices. Report results and findings during inspec	ides, ropes and findings to the ctions.	
A copy of the said Construction Regulation 19 is attached for your convenience and you are to familiarize yourself with the requirements of the regulations and you are directed to give full effect to same.						
	appointment will bec ruction work is comp		e on the date of	acceptance thereof until	or until the	
Please confirm your acceptance of this appointment by signing and returning to me the duplicate copy of this letter.						
Signa	ture: Manager (for			Signature:И	/itness	
Desig	nation:			Designation		
Date:				Date:		
ACCEPTANCE						
Iunderstand the implications of the appointment and confirm my acceptance of this appointment. I have studied the relevant sections of the Act and Regulations and understand what is required of me.						
Signe	d:			Date:		

APPOINTMENT AS LIFT OPERATOR IN TERMS OF LIFT, ESCALATORS AND PASSENGER CONVEYOR REGULATION 2(5) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (85 OF 1993) AS AMENDED

NAME	OF COMPANY:					
IN	TERMS	OF	THE	ABOVE-MENTIONED	ACT:	
I/WE			(FOR	EMPLOYER) having been appo	ointed to ensure	
full com as the li Lift No YOUR I 2. Fo iss 3. Do no A copy you are This ap	pliance with the O ift operator in termthat is not a RESPONSIBILITII 1. Do no use the llow the manufact ued by the compa not allow an unau t in attendance. of the Lift, Escalat to familiarise you pointment will bec	HSA and regulars of the Lifts, automatically ES ARE TO: lift if the requiturer's instruction in this regard thorised persector and Passe reself with the autome effective	Escalators and operated. Tred 36 monthly tions for operated. Son to operate to the control operate to the conveyor and Regulation the date of a control operate of the control operate on the date of a control operate of the control operate of a control operate of the control operate of the control operate on the date of a control operate of the control operate op	r appoint you	name ons for the available. other instruction when you are onvenience and	
of this le	etter.			y signing and returning to me the Signature:		
Signature:			Vitness			
Designa	ation:			Designation		
Date:				Date:		
			ACCEPTA	ANCE		
confirm		of this appoi	ntment. I have	and the implications of the a e studied the relevant sections		
Signed:				Date:		

APPOINTMENT AS DESIGNATED PERSON FOR HAZARDOUS SUBSTANCES/CHEMICALS IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME C	F COMPANY:								
IN	TERMS	OF	THE		ABOV	/E-MEN	TION	ED A	ACT:
I/WE			(FO	R EMF	PLOYE	ER) havi	ng be	en appointed	to ensure
	ull compliance with the OHSA and Regulations, hereby appoint you								
YOUR R	ESPONSIBILI	TIES ARE TO:							
contain t 2. Er occupati 3. If monitorir 4. Re 5. Oi hazardor 6. Ex substand 7. Er supplier.	Keep an updated alphabetical list of all hazardous chemical substances (HCS). This list must contain the following information: All HCS used on the premises as well as all process air contaminants such as dusts, fumes, etc. Product name and the active ingredient of the substance. Classification of the HCS as per SANS 10228 (Class and Danger group). Indicate if the HCS is listed in table 1, 2 or 3 of the HCS Regulations. If the HCS is listed in table 1 or 2 of the HCSR the OEL must be indicated on the list. Ensure that hazardous chemical substance risk assessment of potential exposure, as well as occupational hygiene surveys are conducted as prescribed by the Regulations. If the substance is listed in table 3 of the HCSR, ensure that medical surveillance and biological monitoring as prescribed by the HCSR are conducted on all employees exposed to the substance. Review/update the alphabetical list of hazardous chemical substances on a regular basis. Obtain the required hazard information (MSDS) (Annexure 8 of HCSR) for all identified nazardous chemical substances from the supplier or manufacturer of the product. Exercise control over the safe storing, labelling, issue and handling of all hazardous chemical substances as per the above list. Ensure that all hazardous chemical containers are safely disposed of if not returned to the supplier.								
		us Chemical Subself with the require					r youi	convenience	and you
	appointment to		effective	on	the	date	of	acceptance	thereof,
Please o		ceptance of this a	appointment	by sig	ning a	nd returi	ning to	o me the dupli	cate copy
Signatur		for employer)				Signatu	ıre:	Witnes	S
Designat	tion:					Design	ation		
Date:						Date:			

ACCEPTANCE

Iunde	rstand the implications of the appointment and
confirm my acceptance of this appointment. I ha	ave studied the relevant sections of the Act and
Regulations and understand what is required of me) .
Signed:	Date:
Olyricu	Date

APPOINTMENT AS MOTOR TRANSPORT OFFICER

NAME OF COMPANY:	
I/WE(FOR EMPL	OYER) having been appointed to
compliance with the OUCA and Deculations and recognition	for compliance with other relevant
compliance with the OHSA and Regulations and responsible legislation hereby appoint youto serve as Full name YOUR RESPONSIBILITIES ARE TO:	·
 Ensure Vehicle/equipment/operator compliance with the Nation 2. Vehicle and safety equipment complies with RTQS. Check driver's licences at least every six months. Ensure that all vehicles are equipped with fire-extinguishers. Familiarise all drivers with accident/incident procedures. Ensure that all drivers and equipment operators undergo ann eyesight tests. Ensure daily checklists are completed by the driver/operator corrected. Implement a driver training/licensing and refresher training motorised equipment, at specified timeframes according to ree. All forklift trucks are load tested annually as prescribed by DN perform these tests. Implement an employee traffic awareness programme. Ensure safekeeping of all records as required by regulations. A copy of the said OHSA (85 of 1993) and Regulations and the Nafor your convenience and you are instructed to ensure that 	or and deviations are reported and programme for all operators of equirements. JR 18 (5), by a person competent to attional Road Traffic Act are attached
requirements.	thorasfuntil
This appointment will become effective on the date of acceptance to Please confirm your acceptance of this appointment by signing an of this letter.	
Signature: Manager (for employer)	Signature: <i>Witness</i>
Designation:	Designation
Date:	Date:

ACCEPTANCE

l	understand 1	the implicati	ions of the	appointme	ent and
confirm my acceptance of this appoint		died the rele	evant section	is of the	Act and
Regulations and understand what is requi	red of me.				
Signed:		Date:			

APPOINTMENT AS FIRE EQUIPMENT INSPECTOR IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (85 of 1993) CONSTRUCTION REGULATION 29 AND VESSELS UNDER PRESSURE REGULATION 11

NAME	OF COMPANY:				
IN I/WE		OF		ABOVE-MENTIONED R EMPLOYER) having been ap	ACT: pointed to ensure
	npliance with the Ol	Ì	gulations here	by appoint you <i>F</i>	full name
YOUR	RESPONSIBILITIE	S ARE TO:			
2. 1 3. 1 foresee 4. 1 5. 1 6. 1 7. 1 codes. 8. E	To co-ordinate the feable emergencies. Fo ensure inspection of ensure the effect fo ensure adequate for ensure compliance.	ole fire risks a rire/emergend ns/maintena tive impleme e signage/not ace to CR27/ with the proje	and take action by team and p ance of all fire-e antation of an e tices are displa Vessels under act health and	pptimum levels. In to eliminate or reduce these a participate in training of all team equipment according to requirent emergency evacuation plan. It is a pressure regulation 11 and all safety plan as well as any requirements.	n members in all nents. relevant SANS rements prescribed
				Pressure regulations of the Ol the requirements of the act and	
This a	•	come effect	•	ate of acceptance thereof un	•
Please of this I		otance of this	s appointment	by signing and returning to me	the duplicate copy
Signatu	ıre: Manager (for			Signature:	Witness
Designa	ation:			Designation	
Date:				Date:	
			ACCEPT	ANCE	
confirm		of this appoi	intment. I hav	stand the implications of the ve studied the relevant section	
Signed	:			Date:	

APPOINTMENT AS FIRE TEAM MEMBER

NAI	ME OF COMPANY:	
I/W	E(F	OR EMPLOYER) having been appointed to ensure
	compliance with the OHSA and Regulations he a fire team member.	reby appoint you
YO	UR RESPONSIBILITIES ARE:	
1.	To familiarise yourself with the type and location	on of fire fighting equipment on the premises.
2.	To attend all training with the aim of familia combating fires likely to occur on the premise	arising yourself with the most efficient methods of s.
3.	To work and practise with the other team men	nbers to obtain the highest state of preparedness.
	opy of the said OHSA (85 of 1993) and Regula amiliarize yourself with the requirements of the	ations is attached for your convenience and you are act and regulations.
This	s appointment will become effective on the date	of acceptance thereof until
	ase confirm your acceptance of this appointme nis letter.	nt by signing and returning to me the duplicate copy
Sigi	nature:	Signature: <i>Witness</i>
Des	signation:	Designation
Dat	e:	Date:
	ACCE	PTANCE
con	irm my acceptance of this appointment. I hugginary and understand what is required of magnetic formal and the standard standard what is required of magnetic formal and the standard st	erstand the implications of the appointment and lave studied the relevant sections of the Act and e.
Cia	and:	Data

APPOINTMENT AS FIRST AID TEAM MEMBER

NAME OF COMPANY:	
I/WE(FOR EMI	PLOYER) having been appointed to ensure
full compliance with the OHSA and Regulations hereby app	point you
as a member of the First aid team.	Full name
YOUR RESPONSIBILITIES ARE TO:	
 Ensure that you familiarise yourself with the open department. Ensure that you attend training and are in possession Report any unserviceable or damaged first aid equi ordinator. Check the contents of first aid box regularly to ensure requirements. 	of a valid first aid certificate. ipment in your area to the Emergency co-
A copy of the said OHSA (85 of 1993) and Regulations is to familiarize yourself with the requirements of the act and	
This appointment will become effective on the date of acce	ptance thereof until
Please confirm your acceptance of this appointment by sig of this letter.	ıning and returning to me the duplicate copy
Signature: Manager (for employer)	Signature:
Designation:	Designation
Date:	Date:
ACCEPTANC Iunderstand	
confirm my acceptance of this appointment. I have stu Regulations and understand what is required of me.	
Signed:	Date:

APPOINTMENT AS INCIDENT/ACCIDENT INVESTIGATOR IN TERMS OF SECTION 24/25 AND GAR 9 OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME (OF COMPANY:				
IN I/WE				ABOVE-MENTIONED OR EMPLOYER) having been	
full com		HSA and Reg	•	eby appoint you	
YOUR F	RESPONSIBILITIE	S ARE TO:			
investig 2. R 3. R Adminis incident Occupa 4. Ir relevant 5. R 6. E SHE Co	ation. Record the findings Record the findings Retrative Regulation to the Compens tional Injuries and terms of Section tincidents to the P	of those investof the investor of the investor of the Obsation Commodiseases Active 24/25 of the investigation of all investigation of each investigation of the investigation of	estigations on an atigation on an atigation on an atigation of 1 sissioner in the 1 sissioner in the 1 sissioner or the Cations to you incident is en	nal Health and Safety Act — hief Inspector, Department of remployer and the SHE Comndorsed by the employer and	tion form. Id in terms of General In a claim, report the Its (Compensation of 85 of 1993, report all Itabour. Itabour. Itabour.
	of the OHSA and se yourself with th			d for your convenience and	you are instructed to
This app	pointment will beco	ome effective	on the date o	of acceptance thereof until	
Please of this le		ptance of this	appointmen	t by signing and returning to ι	me the duplicate copy
Signatuı	re: Manager (for			Signature:	Witness
Designa	ation:			Designation	
Date:				Date:	
			ACCEP	TANCE	
confirm		of this appoi	ntment. I ha	stand the implications of t ve studied the relevant sec	
Signed:				Date:	

APPOINTMENT AS SUPERVISOR OF MACHINERY IN TERMS OF THE GENERAL MACHINERY REGULATION 2(1) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (85 OF 1993) AS AMENDED

NAME OF COMPANY:	
IN TERMS OF THE ABOVE-MENTIONED ACT:	
I/WE((FOR EMPLOYER) having been appointed to ensure
full compliance with the OHSA and Regulations he	ereby appoint you
as competent person in terms of General Machine	Full name ery Regulation 2(1) for the following premises:
YOUR RESPONSIBILITIES ARE TO:	
1. Ensure that the provisions of the Act and R with.	legulations with regard to machinery are complied
2. Implement a preventive maintenance progroperability of all machinery.	ramme aimed at ensuring the safety and continued
 Ensure that the required documentation of t Ensure compliance to the company's heal such as lock-out, confined space entry, equipmental and hazard identification and risk assessment. 	the above system is maintained and available. th and safety requirements that relate to machinery, ent inspections, operator training, machine guarding emented to reduce incidents related to the use of
A copy of the OHSA is attached for your perusal a Act and the regulations.	and you are instructed to familiarise yourself with the
This appointment will become effective on the date	e of acceptance thereof until
Please confirm your acceptance of this appointment of this letter.	ent by signing and returning to me the duplicate copy
Signature:	Signature:
Designation:	Designation
Date:	Date:
ACCE	PTANCE
confirm my acceptance of this appointment. I	derstand the implications of the appointment and have studied the relevant sections of the Act and
Regulations and understand what is required of m	1e.

Signed:	Date:

APPOINTMENT AS RISK MANAGEMENT PROGRAMME CO-ORDINATOR

NAI	ME OF COMPANY:	
I/W	E(FOR	EMPLOYER) having been appointed to ensure
full	compliance with the OHSA and Regulations hereby	appoint you
	the Risk Programme Co-ordinator.	Full name
	UR RESPONSIBILITIES ARE TO:	
1.	Take the necessary steps to identify and measur	e the notential hazards and risks in the working
2.	environment affecting Health, Safety and the Envoccupational diseases and injuries, as well as pote Establish as far as is reasonable what dangers to any work performed, article which is processed, is used, and further to establish the precautionary	ironment within the broad context of preventing ential pollution of air, ground and water. the Health and Safety of persons are attached used, handled, stored and any machinery which measures which should be taken in respect of
3.	such work, article, or machinery in order to protect As far as is reasonable, cause every employee Health and Safety attached to any work he has to pand store and any machinery which he is required.	to be made conversant with the dangers to his perform, or article he has to process, use, handle lired or permitted to use, as well as with the
4.	precautionary measures which should be taken ar Regarding Occupational Health and Hygiene, hazards (physical/biological/chemical/ergonomic flammable, toxic or corrosive gases, vapours, frequency of noise and vibrations.	dentify, measure and control potential health al psychological) such as concentrations of
5.	Ensure the implementation of a medical surveill	
6.	based on risk assessment and occupational hygical You are furthermore required to implement, estal Programme with the objective of identifying all the implement cost effective and practical control meaning.	olish and maintain an overall Risk Management e potential pure risks to the organisation and to
7. 8.	possible way. You will exercise and maintain overall control Programme which include but are not limited to: Emergency and Disaster Planning, Security, Fire Environmental Protection and Pollution Control. Ensure legislative awareness, responsibility through	Risk Control Organisation, Health and Safety, Protection and Defence, Transport Risk Control
	opy of the said OHSA (85 of 1993) and Regulation ructed to ensure that you familiarize yourself with th	
This	s appointment will become effective on the date of a	cceptance thereof, fromto
	ase confirm your acceptance of this appointment by his letter.	y signing and returning to me the duplicate copy
Sigi	nature:	Signature: <i>Witness</i>
Des	signation:	Designation
Dat	e:	Date:
	ACCEPTA	NCE
con	understa firm my acceptance of this appointment. I have gulations and understand what is required of me.	
Sia	ned:	Date:

APPOINTMENT AS THE OCCUPATIONAL SHE CO-ORDINATOR

NAME OF COMPANY:	
I/WE(FOR	EMPLOYER) having been appointed to ensure
full compliance with the OHSA and Regulations hereby	appoint you
as the Occupational Health and Safety Co-ordinator.	ruii name
YOUR RESPONSIBILITIES ARE TO:	
 Take the necessary steps to identify and measu environment from both health and hygiene as occupational injuries and diseases. 	
 Establish as far as is reasonable what dangers to performed, article which is processed, used, hand and further to establish the precautionary measu work, article, or machinery in order to protect the 	dled or stored and any machinery which is used res which should be taken with respect to such
As far as is reasonable, cause every employee safety attached to any work he has to perform, or and any machinery which he is required or perr	to be made conversant with the dangers to his article he has to process, use, handle and store nitted to use, as well as with the precautionary
measures which should be taken and observed w 4. Occupational health and hygiene: identify, measure physical/biological/chemical/ergonomical/psychologorosive gases, vapours, dusts, mists and fume	ire and control potential health hazards such as ogical concentrations of flammable, toxic or
vibrations. 5. Ensure the implementation of a medical surveillar	ce programme and the monitoring of exposures
based on risk assessment and occupational hygicals. Ensure legislative awareness, responsibility through	
A copy of the OHSA and Regulations are attached familiarise yourself with the Act and the regulations.	or your convenience and you are instructed to
This appointment will become effective on the date of a	acceptance thereof until
Please confirm your acceptance of this appointment b of this letter.	y signing and returning to me the duplicate copy
Signature:	Signature:
Manager (for employer)	Witness
Designation:	Designation
Date:	Date:
ACCEPTA	ANCE
Iundersta confirm my acceptance of this appointment. I have Regulations and understand what is required of me.	and the implications of the appointment and studied the relevant sections of the Act and

Signed:	Date:

APPOINTMENT AS SAFETY, HEALTH AND ENVIRONMENTAL REPRESENTATIVE IN TERMS OF SECTION 17 OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, (85 OF 1993) AS AMENDED

NAME OF COMPANY:						
IN	TERMS	OF	THE	ABOVE-MENTIONED	ACT:	
I/WE(FOR EMPLOYER) having been appointed to ensure						
full compliance with the OHSA and Regulations hereby designate you						
period	of office according	to Section 17	(2) of the Act.	ace or a section of the workplace You are appointed for the follow	ing section of the	
YOUR RESPONSIBILITIES ARE TO:						
 1. 2. 3. 	 Carry out inspections at pre-determined frequencies as per agreement. (Other functions as agreed upon eg. Fire equipment, ablution etc.) Identify hazards and potential major incidents and report deviations in accordance with legal requirements. 					
4.5.6.	Attend and take part in any incident investigations, formal inquiry in terms of the Act. Serve on the Safety, Health and Environmental Committee and attend meetings at prescribed times and venues.					
You are entitled to be informed of all aspects mentioned in Section 13 of the Act, and to receive the appropriate training in this regard.						
A copy of the said OHSA (85 of 1993) and Regulations is attached for your convenience and you are instructed to ensure that you familiarize yourself with the requirements of the act and regulations.						
This appointment will become effective on the date of acceptance thereof until						
Please confirm your acceptance of this appointment by signing and returning to me the duplicate copy of this letter.						
Signature:				Signature:		
J	Manager (for				<i>Vitness</i>	
Desig	nation:			Designation		
Date:				Date:		
						
ACCEPTANCE						
Iunderstand the implications of the appointment and confirm my acceptance of this appointment. I have studied the relevant sections of the Act and Regulations and understand what is required of me.						
Signed:				Date:		