



**TRANSNET PORT TERMINALS**

Document Title: **EQUIPMENT REPAIRS @ 111 CANTEEN**

# **Scope of Work**

**REVISION 00:**

**1. INTRODUCTION**

Transnet Port Terminal is looking to appoint an experienced and qualified service provider to Repair equipment at 111 canteen Roro terminal.

**2. SCOPE OF WORKS SPECIFICATION**

- 2.1 Connect water supply to 2X tilting cooking pans.
  - Remove existing isolating valve from the wall and install "T" piece, etc to current supply with pipework.
  - Install X2 wall mounted elbows with X2 cobra bip hose taps (chrome)
  - Install X2 flexible pressure hoses from the taps to the X2 tilting cooking pans.
  - Test for leaks.
- 2.2 Connect water supply to the sink and sanitizer.
  - Remove existing isolating valve from cold water supply from the wall and install "T" piece, etc to current supply with pipework.
  - Install existing isolating valve and X1 cobra bip tap (chrome) to wall mounted elbows.
  - Replace existing braided pipe to the isolating valve.
  - Install existing sanitizer water supply pipe to the bip tap.
  - Test for leaks.
- 2.3 Remove and replace sink mixer spout as per existing spout only
- 2.4 Repair runner and wheels of beverage cooler.
- 2.5 Repair baymarin.
- 2.6 Repair pie maker.
- 2.7 Repair 2x industrial microwave (111 serving station and CAR Kiosk).
- 2.8 Repair fly catcher.
- 2.9 Repair 25L hydroboiler
- 2.10 Replace 2X drain covers.
- 2.11 Repair 2X knee basins.
- 2.12 Supply and install a new 3phase isolator 45A for an oven.
  - Supply and install a 3phase cable from the DB board to the 45A isolator
  - The oven must be tested and ready to be used.
- 2.13 Replace 2X water proof double socket plug box.
- 2.14 Repair cupboard doors by serving station all drawers, etc
- 2.15 Repair and service 2x beverage coolers (111 serving station and CAR Kiosk).
- 2.16 Inspect, service and repair;
- 2.17 2x knee basins,
- 2.18 1x Puthu pot,
- 2.19 Oven
- 2.20 K.I.C Freezer
- 2.21 Chest Fridge
- 2.22 Sink mixers
- 2.23 Repair counter plug socket (water proof)
- 2.24 Service and replace oil in jacket cooking pot.
- 2.25 Replace lights in storeroom with LED lights
- 2.26 Replace socket cover with a blank off cover.
- 2.27 Remove and replace lock cylinder on office (4 keys)
- 2.28 Service, repair gas stove and gas supply from gas bottles to stove complete.
- 2.29 Pressure test gas lines
- 2.30 Gas COC to be given on completion of gas system repairs.
- 2.31 12 months warranty to be given on gas repairs and appliance repairs.

TRANSNET PORT TERMINALS	111 CANTEEN REPAIRS			POINT MULTI-PURPOSE TERMINAL
	SOW	Page 2 OF 5	Rev 00	

- 2.32 All old electrical and plumbing spares to be handed over to the Supervisor on completion.
- 2.33 Clean and clear site.

**NB: Precaution to be taken into account for services in the wall.**

**3. Additional Information Requirements**

- 3.1 All bidders must attend a compulsory briefing session and bidders who did not attend a briefing session will be disqualified.
- 3.2 All measurement listed are only a guide, the contractor is responsible for his/her own measurements.
- 3.3 Only SANS/SABS approved materials to be utilized.
- 3.4 Guarantee: The service provider is to provide a minimum of 12 months guarantee on the quality and workmanship of the manufacture structure.

**4. Technical evaluation**

All vendors bidding for this tender will be technical evaluated and the scoring procedure is in reference with Appendix B. The vendor who does not submit documents as in Appendix B before closing date of the RFQ will be disqualified.

**5. Disputes**

In a situation where, a contractual dispute with the service provided or the terms and conditions in the agreement. The technical manager or the Transnet Engineer or their representative will negotiate a binding decision.

**6. Warranty**

The supplier must give warranty of workmanship for 12 months period. And material warranty 24 months.

**7. Pricing considerations**

The service provider must quote as follows:

- 7.1 All costs relating to the safety file are to be included in the bidders quotation.
- 7.2 The service provider will quote per item as listed in section 2.
- 7.3 All costs relating to the equipment hiring, machinery etc, are to be included in the bidders for the entire success of this project.

**8. Safety**

The following safety procedures together with the terminal standard operating conditions are always to be adhered to. No exceptions will be tolerated.

- 8.1 All personnel reporting to terminal must come in full personal protective equipment (PPE) gear (safety vest, hard hat and safety shoes).
- 8.2 Vehicles used to be fitted with rotating flashing light and proper company signage when accessing the terminal.
- 8.3 Only certified or competent technical personnel are required to operate electrical machinery.
- 8.4 All TPT owned equipment or property needs to be signed off by TPT representatives before exiting the terminal.
- 8.5 Terminal provides mess and ablution facilities and must always be kept clean.
- 8.6 No discipline irregularities will be condoned. Offenders will be requested to leave the terminal immediately pending a full investigation.

TRANSNET PORT TERMINALS	111 CANTEEN REPAIRS			POINT MULTI-PURPOSE TERMINAL
	SOW	Page 2 OF 5	Rev 00	

8.7 Notification of arrival will be mandatory.

**9. Operating Hours**

The Durban BBC Terminals operate 24 hours a day. The infrastructure maintenance team mainly works a day shift (07h00 – 15h30) and all work should be done during this period. Any work requiring irregular hours should be communicated timeously to a TPT representative and required approvals obtained.

**10. Access Permit**

Site meeting:

For the site meeting, all suppliers are required to bring with them the following in order to apply for the required permit:

- Hardcopy of RFQ
- Proof of identification for all employees attending.
- Letter from the relevant company stating the names and surnames of the employees requesting access and reason for access.
- Minimum PPE, safety vest, hard hat and safety shoes.
- Suppliers are advised to bring any/all required measuring tools for proper pricing.


**11. Conducting the work**

In order to acquire access permits for conducting work, external contractors will need to attend safety induction (valid for a year). Safety would also advise the need for submitting a safety file. There after application for permits from security can be submitted. For vehicles access, all vehicles are required to have a company sign and are evolving light and access will be obtained at the security office.

**12. Site facilities**

No provisions have been made for the site facilities. Security of the service providers tools, material and machinery remain his responsibility of the service provider to provide his own scaffolding, ladders etc. wherever necessary and/or required for the completion of the work.

Compiled by:



\_\_\_\_\_  
 Nontobeko Masuku  
 Technical Supervisor, MPT & CAR  
 Date: ..28/05/2027.....

Reviewed & Supported by:



\_\_\_\_\_  
 Darren Chetty  
 Technical Manager, BBC  
 Date: ...28-05-2024.....

Approved by:



\_\_\_\_\_  
 Linamandla Busakwe  
 Engineering Manager, BBC  
 Date: 28.05.2024.....

TRANSNET PORT TERMINALS	111 CANTEEN REPAIRS			POINT MULTI-PURPOSE TERMINAL
	SOW	Page 2 OF 5	Rev 00	