

TUG LOTHENI-LAY UP BOQ BOQ FOR PORT OF EAST LONDON



BILL OF QUANTITIES

PORT OF SALDANHA TUG LOTHENI Summary BOQ FOR PORT OF EAST LOND(



	SECTION	ITOTAL
1	Hull cleaning	101/12
	Hull Painting	
	Seachests	
	Anodes	
5	Anchores and Cables	
6	Voith Sea Space	
7	Voith Blades	
	Seachest Valves	
	Overboard valves	
	Ballast tank & LO storage	
	Fresh water tanks	
	Fuel tanks	
	Foam Tank	
	Dirty oil tank	
	Blackwater tank	
	Anchor Chain lockers	
	Fenders	
	Void Space	
	Coolers & Filters	
	Fire Monitor	
	Drydock 1	
22	Drydock 2	
	Total excluding VAT	
	15% VAT	
	Total including VAT	

^{*} Note the Bill of Quantities sections which follow must be read in conjunction with the relevant item contained in the scope of serivces, Annexure A.

PORT OF SALDANHA TUG LOTHENI TRANSNE **BOQ FOR PORT OF EAST LONDON** ITEM | SUB ITEM | DESCRIPTION UNIT OTY RATE AMOUNT **EXTERNAL HULL CLEANING and PAINTING HULL & SUPERSTRUCTURE** 1.1 Scrape and high pressure water wash hull. M^2 1200 Dispose of the barnacles. **HULL GRIT BLASTING** 1.2 1.2.1 (SA2.5 = At least 95% of the surface shall be 1200 clean bare steel with at least 90% of any 25mm square clean bare steel. 1 nozzle/hour = 7 m²). All grit blasting to be conducted in conjunction with the appointed paint representative. This will include the decision as to whether to carry out a SA1.0 or SA2.5 grit blast. Contractors will be responsible for the cleaning and removal of all spent grit from dry dock and the legal disposal of such. (SA2.5 = At least 95% of the gunwale surface 1.2.2 600 shall be clean bare steel with at least 90% of any 25mm square clean bare steel. 1 nozzle/hour : m²). All grit blasting to be conducted in conjunction with the appointed paint representative. This will include the decision as to whether to carry out a SA1.0 or SA2.5 grit blast. Contractors will be responsible for the cleaning and removal of all spent grit from dry dock and the legal disposal of such. (AS and IF required by SAMSA)(Contractor can only invoice if this was carried out) Light wet Sweep blasting to SA 1 to be carried 1.2.3 1200 out on hull [It may be necessary to spot blast certain areas to SA2.5, allow 15% for this]. All grit blasting to be conducted in conjunction with the appointed paint representative. This will include the decision as to whether to carry out a SA1.0 or SA2.5 grit blast. Contractors will be responsible for the cleaning and removal of all spent grit from dry dock and the legal disposal of such. 1.2.4 450 Wet spot grit blasting to SA1 to be carried out on main deck, upper deck [it may be necessary to blast certain areas to SA 2.5, allow 15% for this]. 1.2.5 Wet spot grit blasting to SA1 to be carried out on 55 super structure including masts, hook, windlass and other fixtures. It may be necessary to blast certain areas to SA 2.5 allow 15% for this [contractors to ensure all glass areas are covered and protected against damage from shot blast]. Cover transducers with grease to protect against 1.2.6 EΑ 1.2.7 Mechanical clean area below Voith table. 10 Descale and DE rust Main Engine and Auxiliary 1.2.8 FΑ Engine Funnels and paint with heat resistant painting as per paint specifications. 1.2.9 Mechanically prepare decks for painting. 450 1.2.10 High pressure wash decks. M 450 1.2.11 High pressure wash accommodation outside, M^2 200 including superstructure, bridge and monkey Mechanically prepare accommodation outside, 1.2.12 M^2 200 including the superstructure, bridge and monkey 1.2.13 300 Mechanically prepare all deck equipment such as winches, cranes, anchor windlass for painting. Sub total carried forward to summary

TRANSNET



BOQ FO	OR PORT	OF EAST LONDON				
ITEM	SUB ITEM	DESCRIPTION	UNIT		RATE	AMOUNT
2		HULL PAINTING [On Completion of blas Paint spec requirements might be chang follow paint specialist advise. All paint,	jed by th primer a	ne paint ind coat	specialis	t. Painters to
	2.1	Apply a coat primer paint as per appointed paint representative's instructions to hull exterior, including underwater and side areas, voith table, gunwales, sea chests, and hawser pipes.		1200		
	2.2	Apply first anti-fouling paint as per appointed paint representative's instructions to hull exterior up to and including the waterline. To include underwater and side areas, voith table, gunwales, sea chests and Voith sea spaces [contractors will be responsible for turning Voith units as required and in a safe manner].	M ²	1200		
	2.3	Apply second anti-fouling paint as per appointed paint representative's instructions to hull exterior up to and including the waterline. To include underwater and side areas, sea chests, hawser pipes,anchors and cutting in between colours (including spare anchor).	M ²	1200		
	2.4	Apply coat [black] as per appointed paint representatives instructions to hull exterior above waterline. To include hawser pipes, rubbing band, gunwales, anchors and cutting in between colours including spare anchor.	M ²	600		
	2.5	Apply primer coat to prepared exposed areas on superstructure and all decks as per appointed paint representative's instructions.	M ²	200		
	2.6	Apply final coat [white] to superstructure including masts as per appointed paint representative's instructions.	M ²	200		
	2.7	Paint vessel names, port of registration and	EA	2		
	2.8	draft marks In white. Apply final coat deck green as per appointed paint representative instructions to all decks [apply non slip sand to decks].	M ²	450		
	2.9	Paint all deck auxiliary equipment such as winches, anchor windlass and fit Denzo tape on metal fittings.	M ²	300		
		Sub total carried forward to summary				



TRANSNE

<u> </u>		OI EASI ESILESII				
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
3		SEA CHESTS AND GRIDS				
	3.1	Remove ships intake grids.	EA	2		
		Scrape and high pressure wash inside sea		2		
	3.2	chests and sea chest grids.	EA			
	3.3	Damaged Intake Grid bolts and threads to be repaired and/or replaced. Broken bolt threads to be removed from holes [Bolts are are stainless steel 316. M12 size] [Bolts to be supplied by contrator]	EA	12		
	3.4	Spray paint inside sea chests and grids as per hull specifications.	EA	2		
	3.5	Replace grids upon completion of painting [Ref: Hull painting].	EA	2		
	3.6	All sea chest grid bolts to be rewired with stainless steel wire [wire to be supplied by contractor].	EA	12		
	-	Sub total carried forward to summary				

PORT OF SALDANHA TUG LOTHENI TRANSNET **BOQ FOR PORT OF EAST LONDON** SUB ITEM | DESCRIPTION ANODES - Owner to supply anodes, QTY RATE **AMOUNT** UNIT 4 washers and nuts (free issue). All old anodes to be removed from hull, sea EA 4.1 100 chests and Voith table before shot blasting and returned to vessel. All anode studs on hull to be cleaned EΑ 4.2 100 and protected before shot blasting and

EΑ

painting commences.

and painting commences.

4.3

All anode studs of sea chest anodes to be

cleaned and protected before shot blasting

Sub total carried forward to summary



<u> </u>		or Englished				
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
5	_	ANCHOR AND CHAIN				-
	5.1	High pressure wash anchor and chain, and spare anchor. 6 shackles of 27.5 metres	EA	1		
	5.2	Sand blast anchor chains (if needed) and paint afterwards.	EA	1		
	5.3	Range anchor chain end to end.	EA	1		
	5.4	Remark cable.	EA	1		
	5.5	Paint anchors.	EA	1		
	5.6	Coat cable with boiled linseed oil or equivalent (linseed oil to be supplied by contractor).	EA	1		
		Sub total carried forward to summary	-			

PORT	PORT OF SALDANHA TUG LOTHENI			TRANSNET				
BOQ F	OR PORT	OF EAST LONDON	V					
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT		
6	_	VOITH SEA SPACES	-					
	6.1	Voith Sea Spaces	M ²	±20				
		Sub total carried forward to summar	у					



ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
7		SEA CHESTS AND GRIDS				
	7.1	cleaned by hand with buffing machine to bare metal prior to Voith inspections and painting. [Grinding of blades will not be permitted].	EA	10		
	7.2	Voith inspections (health check) and tests to be conducted in conjunction with Voith representative and submit report to TNPA.	EA	10		
	7.3	Voith blades to be covered with protective covering prior to painting.	EA	10		
	-	Sub total carried forward to summary	_	-		



TRANSNE

ΜΙ	SUR TTFM	DESCRIPTION	UNIT	ΙΛΤΥ	RATE	AMOUNT
<u> </u>	JOD TILM	SHIPS SEA CHEST VALVES	ONT	Ų.	IXAIL	AMOUNT
8	3.1		EA	2		
8	3.2	Sbtd fire pump isolating valve (Butterfly- to be cleaned in place) 303 NB		2		
8	3.3	Port fire pump isolating valve (Butterfly- to be cleaned in place) 303 NB	EA	2		
8	3.4	Main sea chest vent valves 50 NB	EA	2		
	3.5	Voith vent valve 25 NB	EA	2		
8	3.6	Fire pump sttrum boxes to be opened, HP cleaned & inspected	EA	2		
8	3.7	Remove strainer & HP wash and replace on completion	EA	2		
8	3.8	Strum box & strainers to be painted with coat of Antifouling (Seaquantum Red)	M²	1		
┟		Sub total carried forward to summary				



TRANSNET

ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT	
9		OVERBOARD VALVES					
	9.1	Black water overboard valveNB 100	EA	1			
	9.2	Sewege plant overboard valve NB 25	EA	1			
	9.3	Grey water overboard valve NB 50	EA	1			
	9.4	AC overboard valve NB 32	EA	1			
	9.5	General service pump isolating valve NB100	EA	1			
	9.6	AFT general service overboard discharge valve NB 80	EA	1			
	9.7	FWD general service overboard discharge valve NB 80	EA	1			
	9.8	Oily water separator overboard valve NB 25	EA	1			
	9.9	Galley overboard valve NB 50	EA	1			
		Sub total carried forward to summary					

PORT OF SALDANHA TUG LOTHENI **TRANSNE BOQ FOR PORT OF EAST LONDON** ITEM | SUB ITEM | DESCRIPTION UNIT QTY RATE **AMOUNT** 10 **TANK** M^3 10.1 Aft Peak Ballast Tank 40 10.2 M^3 Fore Peak Ballast Tank 50 Sub total carried forward to summary

PORT	PORT OF SALDANHA TUG LOTHENI			TRANSNET				
			V					
BOQ F	BOQ FOR PORT OF EAST LONDON		•					
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT		
11		FRESH WATER TANK				-		
11.1 Port fresh water tank.			M^3	38				
		Sub total carried forward to	summary	_				



TRANSNET

ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY RATE	AMOUNT
12		FUEL TANKS		-	-
	12.1	Fuel tank port day tank	M^3	5	
	12.2	Fuel tank starboard day tank	M^3	5	
	12.3	Fuel tank-Port	M^3	68	
	12.4	Fuel I tank - Starboard	M^3	68	
	Sub total carried forward to summary				

PORT	PORT OF SALDANHA TUG LOTHENI				TRANSNET					
			,							
BOQ F	OR PORT	OF EAST LONDON		V						
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT				
13		FOAM TANKS								
	13.1	Foam Tank	M^3	14						
		Sub total carried forward to summar	7	-	•					

PORT	PORT OF SALDANHA TUG LOTHENI			TRANSNET					
BOQ F	BOQ FOR PORT OF EAST LONDON			Y					
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT			
14		DIRTY OIL TANK							
	14.1	Dirty oil tank	M^3	5					
		Sub total carried forward to summa	ry						

PORT OF SALDANHA TUG LOTHENI			TRANSNET					
			,					
BOQ FOR PORT OF EAST LONDON				Y				
ITEM	SUB ITEM		UNIT	QTY	RATE	AMOUNT		
15 BLACK/GREY WATER TANK						_		
	15	Grey/black water tank	M^3	4				
		Sub total carried forward to summary						

PORT OF SALDANHA TUG LOTHENI			TRANSNET				
			V				
BOQ F	BOQ FOR PORT OF EAST LONDON						
ITEM	SUB ITEN	DESCRIPTION	UNIT	QTY	RATE	AMOUNT	
16		Anchor chain lockers	-			-	
	16.1	Anchor chain lockers	M^3	4			
		Sub total carried forward to summary					



ITEM	SUB ITEM	DESCRIPTION	UNIT	ОТУ	RATE	AMOUNT
<u> </u>	30221214	Fenders	10.421	14.,	1.01.2	JAI 100IVI
	17.1	Remove and refit vertical fender (stern).	EA	50		I
	17.2	Remove and refit horizontal fenders.	EA	1		
	17.3	Replace fender locating pins as required.	EA	26		
	17.4	Straighten fender locating pins as required.	EA	26		
	17.5	Renew vertical fender palms as required.	EA	10		
	17.6	Repair stern horizontal fender housing.	EA	1		
	17.7	Renew sausage fender tensioning screws.	EA	2		
	17.8	Renew fender straps.	EA	30		
	17.9	Renew fender chain.	EA	1		
	17.10	Renew fender straps ratchet.	EA	30		
	17.11	Miscellaneous repairs to stern section.	M ²	50		
	17.12	Repair belding port.	EA	1		
	17.13	Repair belding starboard.	EA	1		
	17.14	Repair port fender box.	EA	1		
	17.15	Repair starboard fender box.	EA	1		
	17.16	Mechanically clean fender housing FWD, paint the space before fitting the fenders.	EA	1		
	17.17	Mechanically clean fender housing AFT, paint the space before fitting the fenders.	EA	1		
	17.18	Remove and replace tyre fenders to facilitate painting the area obstructed by fenders.	EA	14		
		Subtotal carried forward to summary				1

PORT OF SALDANHA TUG LOTHENI				TRANSNET					
BOQ F	BOQ FOR PORT OF EAST LONDON			V					
ITEM	SUB ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT			
18	_	Void Space				-			
	18.1	Void Space	M^3	10					
		Sub total carried forward to summary							

PORT OF SALDANHA TUG LOTHENI TRANSNET **BOQ FOR PORT OF EAST LONDON** ITEM SUB ITEM DESCRIPTION **RATE** UNIT QTY **AMOUNT Keel Coolers** Remove, clean, pressure test and refit keel 19 EΑ 2 19.1 coolers (repair where necessary). (Generators only) Replace gasket (Contractor to supply). 19.2 EΑ Subtotal Coolers 19.3 Take meassurement of coolers. Loosen the coolers. Clean the coolers, replace anodes, and damaged gaskets (contractor to supply). Retighten the cooler to original dimensions. Test the cooler for leaks. 19.3.1 Winch Coolers EΑ 1 **Subtotal** Main Engine Charge air Coolers (Intercoolers) Engine type: MAK (Caterpillar) 8M25C 19.4 Punch and clean port and starboard coolers. EΑ Apply Apexior no.3 to inside of cover. Renew O'ring (contractor to supply). Pressure test coolers to 5 bars to test for leaks. Renew gasket on coolers and pipework (contractor to supply). Renew anodes as required (contractor to supply). Subtotal **Main Engine** 19.5 Ultrasonic cleaning of lube oil filters. EΑ 19.6 Ultrasonic cleaning of self-cleaning filters. EΑ 19.7 Remove and clean intercoolers. EΑ Subtotal Towing winch 19.8 Ultrasonic cleaning of hydraulic filter. EΑ 1

Subtotal

Total carried forward to summary



TRANSNET

BOO FOR PORT OF EAST LONDON SUB ITEM | DESCRIPTION UNIT QTY RATE **AMOUNT** ITEM Fire Monitors 20 Electrical supply to be isolated. EΑ 20.1 Limit switches to be checked and adjusted if 20.2 EΑ 8 needed. Fire monitor to be removed from tug. 2 EΑ 20.3 Fire monitor to be dismantled. EΑ 20.4 All seals to be renewed. 20.5 EΑ 10 Electric motors to be overhauled. 20.6 EΑ 4 2 EΑ 20.7 Fire monitor to be painted after assembly. EΑ 2 20.8 Test fire monitors when tug is out of the dock.

Subtotal carried forward to summary

PORT OF SALDANHA TUG LOTHENI TRANSNET **BOQ FOR PORT OF EAST LONDON** ITEM SUB ITEM DESCRIPTION UNIT QTY RATE **AMOUNT** Pipe work & steel work Contractor to make provison for steel work. 21 21.1 Ton Subtotal 10 Water Management 21.2 Supply water for blasting and cleaning. Subtotal 21.3 Provide waste collection and disposal facilities Ton [contractor to supply TNPA with **Waste Management** disposal certificate]. Contents of bilge and sludge tanks to be 21.4 30 disposed off legally. [Certificate of bilge sludge liquid to be supplied to TNPA, to include location of disposal and volume]. Subtotal 21.5 Chemist to test and issue gas free certificates EA for tank entry [one before entry into tanks for cleaning, and one before entry for Chemist SAMSA]. Subtotal 21.6 30 Hire of shore crane, contractor to supply Days equipment [only actual days used to be Drydock invoiced]. 21.7 Hire of cherry picker, contractor to supply Days 25 equipment [only actual days used to be invoiced]. 21.8 Hire of hyster, contractor to supply equipment Days 25 [only actual days used to be invoiced]. 21.9 Arrange 380V 3 phase shore supply + Days 30 extension cable. 21.10 Arrange ablution facilities 30 Days 21.11 Arrange fire main supply. Days 30 Subtotal 21.12 Supply Fire Marshall [only days used to be Days 25 Hotwork invoiced]. 21.13 Supply hot work permit. Days 25 Subtotal

Subtotal carried forward to summary

PORT OF SALDANHA TUG CHARDONNAY TRANSNET **BOQ FOR PORT OF EAST LONDON** ITEM | SUB ITEM | DESCRIPTION UNIT loty **IRATE AMOUNT** Bilge Cleaning and General Cleaning 22 Deck plates to be removed and bilges cleaned. Bilges to be degreased and wiped down. Provide labour for cleaning of bilges and 4x8 5 Days assisting TNPA staff in the engine room. Hours Provide labour for assisting TNPA staff for 4x8 22.2 5 Days cleaning of accommodation and bridge. Hours Bilges to be pumped out into shore tank 22.3 (contractor to supply tank, pump and certified System hose). Subtotal Thickness Testing 22.4 NDT testing of hull plating including voith Points 100 platform and sea chest as per SAMSA requirements; plus or minus 80 points. NDT testing of port and starboard void turntable 22.5 Points 40 and vertical sides. NDT testing of both port and starboard foam 22.6 **Points** 40 tanks internally. NDT testing of port and starboard hawser pipes. 22.7 **Points** 30 NDT testing of main sea water cross over pipe. 22.8 **Points** 30 NDT testing of main deck and bridge deck. 22.9 **Points** 50 22.10 NDT testing of port and starboard anchor chains. 30 Points NDT testing of port and starboard exhaust funnels Points 30 22.11 Supply certificate of results at least 3 days after 22.12 EΑ NDT testing prior to re-floating of vessel. Subtotal Water tight Compartments To clean all watertight doors rubber grooves and fit new rubbers on potholes and watertight doors. Contractor to supply rubber material and glue. 22.13 Water tight doors 22.14 Hatches EΑ 22.15 Port Holes EΑ Subtotal Scaffolding Erect safe access scaffolding/gangway to vessel. 22.16 Days 30 Erect scaffolding in accessible heights (anodes, 30 22.17 Days fender valve work and coolers) Subtotal Divers 22.18 Provide divers during docking of craft (min 12 Days 22.19 Provide divers during undocking of craft (min 8 Day hours) Subtotal