



TRANSNET ENGINEERING

PRODUCT SYSTEMS DEVELOPMENT

SPECIFICATION FOR ASSEMBLY WHEEL FOR NEW 12M LOWBED

Revision 00

Date of release

07 November 2024

PD_PRTS_NAT_SPEC_083

The information contained herein is the sole property of Transnet Engineering. It may not be used, disclosed or reproduced in part or in whole in any manner, except with the written permission of and in a manner permitted by the proprietor.

Signature of Bidder/s: _____

Document Name: Specification Assembly Wheel for New 12m Lowbed

Classification: Technical Specification

Date: 05/11/2024

Date: _____

DOC. No : PD_PRTS_NAT_SPEC_083

Revision: 00

Page: 1 of 5



Table of Contents

1.0. INTRODUCTION.....	3
2.0. TECHNICAL REQUIREMENTS	3
3.0. OPERATING ENVIRONMENT	3
4.0. GENERAL REQUIREMENTS.....	3
5.0. SPECIFIC REQUIREMENTS	4
6.0. DOCUMENTATION.....	4
7.0. DOCUMENT AUTHORITIES.....	5

Signature of Bidder/s: _____

Document Name: Specification Assembly Wheel for New 12m Lowbed

Classification: Technical Specification

Date: 05/11/2024

Date: _____

DOC. No : PD_PRTS_NAT_SPEC_083

Revision: 00

Page: 2 of 5

1.0. INTRODUCTION

- 1.1. This specification details the supply and delivery of all the components detailed in the subsections of this document.
- 1.2. This specification states the minimum requirements of the components and connectors, and in no way absolves the Supplier from the responsibility for sound engineering practice.
- 1.3. Any person with the intention of supplying the components and subcomponents shall ensure that the information below is complied with. The information or requirements are binding and must be supplied by either the supplier in consultation with Transnet or Transnet Engineer and must ensure that mutual agreement is reached between the two parties (Supplier and Transnet) before the supply of machinery or material.

2.0. TECHNICAL REQUIREMENTS

Discussed in the sub-sections below are the specifications and requirements for the assembly wheel for the new 12m lowbed trailer which should be complied with.

3.0. OPERATING ENVIRONMENT

The Components specified in this document will be exposed to the following ambient conditions:

- To be used in a corrosive environment (sea level)
- Temperature: 5°C - 45°C
- Humidity: Frequently 100%
- Air Pollution: Heavy saline, dust-laden and industrial fumes.

4.0. GENERAL REQUIREMENTS

The information in this section shall be provided by the supplier.

- The products names and models.
- The cost of the product, component or system.
- All product, component or system datasheets
- The supplier shall only provide components that are of proven design.
- All components must be dust proof and watertight, where applicable.
- Each component/product shall include a 6 month defects free period in addition to a minimum of two (2) year warranty. Verifiable warranty documents are to be furnished by the supplier.

Signature of Bidder/s: _____

Date: _____

Document Name: Specification Assembly Wheel for New 12m Lowbed

DOC. No : PD_PRTS_NAT_SPEC_083

Classification: Technical Specification

Revision: 00

Date: 05/11/2024

Page: 3 of 5

5.0. SPECIFIC REQUIREMENTS

5.1. Technical Requirements

The following table contains technical information of the equipment needed:

Product	QTY
<p>Assembly wheel (Solid Tyres and Rims)</p> <p>Each tyre and rim supplied/proposed for supply is to:</p> <ol style="list-style-type: none"> 1. Be press on solid tyre with rim size of 559X406X406 2. Have rim bore diameter of 140mm. 3. Be rated for a load capacity of 6.360KG @ 10 km/hr . <p>The following files/ documents are to be supplied as part of this tender:</p> <ol style="list-style-type: none"> 1. The relevant warranty documentation (A warranty for the minimum period of 1 year is to be provided on the offered/supplied rim/s). 2. A specification sheet/ Specification sheets proving the load and speed ratings of the rim/s supplied/ proposed for supply. 3. A detailed drawing of the rim/s supplied/ proposed for supply. <p>The following should be noted:</p> <ol style="list-style-type: none"> 1. All products offered are to comply with the requirements of the relevant standard specifications of the SANS, if published. 	<p>As per REQUISTION</p>

6.0. DOCUMENTATION

The following documents shall be obtained for the procurement process.

- Itemized cost breakdown
- Brochure of the various components where applicable
- The product(s) must be supplied with a detailed maintenance manual to have sufficient information to allow the terminal to capture maintenance schedules in terms of inspections, servicing and replacement of parts.
- The supplier shall provide documentation outlining the warranty of the product and what is covered.

Signature of Bidder/s: _____

Document Name: Specification Assembly Wheel for New 12m Lowbed

Classification: Technical Specification

Date: 05/11/2024

Date: _____

DOC. No : PD_PRTS_NAT_SPEC_083

Revision: 00

Page: 4 of 5

7.0. DOCUMENT AUTHORITIES

A handwritten signature in black ink, appearing to read "Laventhran Naidoo".

Laventhran Naidoo
Senior Engineer, Port Equipment
Product and Systems Development
Date: 05 / 11 /2024

Signature of Bidder/s: _____

Document Name: Specification Assembly Wheel for New 12m Lowbed

Classification: Technical Specification

Date: 05/11/2024

Date: _____

DOC. No : PD_PRTS_NAT_SPEC_083

Revision: 00

Page: 5 of 5